

IMPACT INDUSTRIES HOME OF: MODULAR DISPENSING SYSTEMS









No matter how you size it ... Modular has your dispenser!

Self-adjusting Simpli-Flex[®] Cup Dispensers feature the exclusive patented Simpli-Flex[®] Gasket.

- Totally self-adjusting
- Accurately dispenses paper, plastic, or foam cups up to 64 fl oz (189 cL)
- One-at-a-time dispensing, every time
- Seals cups from contamination
- Constructed of NSF- and FDA-approved materials
- Molded of tear-resistant silicone
- Easy to install gasket just slips on the dispenser
- One-year warranty
- See page 2

Choose the new Simpli-Size[™] Cup Dispenser with easy manual adjustment.


- With one turn, all three Simpli-Size[™] fingers adjust at once for simple, simultaneous, snap-into-place adjustment. Fast and easy!
- Spring-loaded dispenser for in-counter or in-cabinet use
- Easy to mount/install
- Can be installed vertically,
- horizontally, or diagonallyEasy to clean/dishwasher
- safeAccurately and gently dispenses paper, plastic,
- and soft foam cups

 NSF listed
- Constructed of NSF- and
- FDA-grade materials
- One-year warrantyPatent pending
- Faterit perior
- See page 9



The Simpli-Flex® 2000 Cup Dispenser

The Simpli-Flex[®] 2000 self-adjusting Cup Dispenser is shipped with three Simpli-Flex Gaskets to fit any size paper, plastic, or foam cup up to 44 fl oz (130 cL) or cups with a 2-1/4" – 4-5/8" (57 – 117 mm) lip diameter. Available for in-counter/cabinet mounting or under-counter/wall mounting.



2

e year warra on gasket)

YEAR WARRANT

The Simpli-Flex[®] 2000 Portion Cup Dispenser

The Simpli-Flex[®] 2000 Portion Cup Dispenser is shipped complete with three Simpli-Flex Gaskets to dispense portion cups with 1-9/16" - 2-1/3" (40 – 59 mm) lip diameter. Dispenser available for in-counter/cabinet mounting or for under-counter/wall mounting. Shipped 12 per case; approximate ship weight is 15 lbs. (7 kgs.).

	Model #	Descriptio	n	Dimensions L x Dia inches (mm)	
(NSF.)	1015572		ortion Cup Dispenser Inter/cabinet mounting)	14 x 3 (356 x 76)		
\bigcirc	1015751		Portion Cup Dispenser -counter/wall mounting)	14 x 3 (356 x 76)	K	
	Standard	Spares		Case Qty.	Ship Wt. (lbs./kgs.)	
		1915669	7S Gasket	1	.5/.2	
		1915581	7M Gasket	1	.5/.2	WARRANTY
		1915592	7L Gasket	1	.5/.2	TWO YEAR WARRANTY ON DISPENSER (One year warranty on gasket)



Model #1020396



Combination Cabinet Dispensers

A popular item in convenience stores and where counter space is limited, these Cabinet Dispensers combine cup, lid, domed lid, and straw dispensing into one area, keeping counters clutter free and organized. Each cabinet is shipped with Simpli-Flex[®] Cup Dispensers for one-at-a-time dispensing of paper, plastic, or foam cups up to 44 fl oz (130 cL). Cabinets can be customized to fit your needs.

Model #	Description	Dimensions D x H x W inches (mm)	Case Qty.	Ship Wt. lbs./kgs.
1019580	Stainless Steel High-Volume Cabinet with 5 cup dispensers, 4 lid and 2 straw organizers	24-7/8 x 33-1/2 x 14-1/2 (632 x 851 x 368)	1	60/30
1020384	Stainless Steel Cup/Lid/Straw Cabinet with 4 cup dispensers on left side; lid, straw organizers on right	22-1/4 x 27-3/4 x 14-1/2 (565 x 705 x 368)	1	50/25
1020396	Stainless Steel Cup/Lid/Straw Cabinet with 4 cup dispensers on right side; lid, straw organizers on left	22-1/4 x 27-3/4 x 14-1/2 (565 x 705 x 368)	1	50/25
1020470	Stainless Steel Cup/Straw/ Domed Lid Cabinet with 4 cup dispensers, 3 domed lid dispensers and 1 straw dispenser	28 x 35-5/8 x 13 (711 x 905 x 330)	1	50/25
1019768	Stainless Steel Lid/Straw Cabinet with 3 lid holders, 1 straw holder	8 x 28 x 8 (203 x 711 x 203)	1	30/15
1021031	Black Painted Aluminum Cabinet with 3 cup dispensers, 2 domed lid dispensers and 2 straw dispensers	25 x 34 x 8 (635 x 864 x 203)	1	50/25
1025504	Black Painted Aluminum Cabinet with 3 cup dispensers and 1 straw dispenser	25 x 28 x 8 (635 x 711 x 203)	1	50/25
1025525	Black Painted Aluminum Cabinet with 4 cup dispensers and 1 straw dispenser	25 x 35 x 8 (635 x 889 x 203)	1	50/25

Model #1019768

PRODUCTS ON THIS PAGE ARE SEMI-STANDARD ITEMS. 10 OR MORE PIECES ARE REQUIRED FOR PURCHASE.

DELIVERY 5-6 WEEKS UPON RECEIPT OF ORDER.

IMPACT INDUSTRIES MODULAR DISPENSING SYSTEMS

The Simpli-Flex® 2100 Series Cabinets

The Simpli-Flex[®] 2100 Series Cabinet Dispensers are shipped complete with Simpli-Flex 2000 Cup Dispensers. These beige or black painted aluminum cabinets have a stainless steel faceplate and are available with one, two, three, or four Cup Dispensers. Stainless steel cabinets are also available.

	Model #	Description	Dimensions D x H x W inches (mm)	Case Qty.	Ship Wt. lbs./kgs.
	Painted A	luminum Cabinets:			
(NSF.)	1015600	SF2101 Cabinet, beige - 1 hole	25 x 7 x 8 (635 x 178 x 203)	1	12/5
<u> </u>	1015599	SF2102 Cabinet, beige - 2 holes	25 x 14 x 8 (635 x 356 x 203) 1	17/8
	1015598	SF2103 Cabinet, beige - 3 holes	25 x 21 x 8 (635 x 533 x 203) 1	22/10
	1015393	SF2104 Cabinet, beige - 4 holes	25 x 28 x 8 (635 x 711 x 203) 1	25/11
	1017024	SF2101 Cabinet, black – 1 hole	25 x 7 x 8 (635 x 178 x 203)	1	12/5
	1016022	SF2102 Cabinet, black – 2 holes	25 x 14 x 8 (635 x 356 x 203) 1	17/8
	1015778	SF2103 Cabinet, black – 3 holes	25 x 21 x 8 (635 x 533 x 203) 1	22/10
	1015765	SF2104 Cabinet, black – 4 holes	25 x 28 x 8 (635 x 711 x 203) 1	25/11
	Stainless S	iteel Cabinets:			
	1015936	SF2101 Cabinet, SS – 1 hole	25 x 7 x 8 (635 x 178 x 203)	1	12/5
	1015909	SF2102 Cabinet, SS – 2 holes	25 x 14 x 8 (635 x 356 x 203) 1	17/8
	1015904	SF2103 Cabinet, SS – 3 holes	25 x 21 x 8 (635 x 533 x 203) 1	22/10
	1015935	SF2104 Cabinet, SS – 4 holes	25 x 28 x 8 (635 x 711 x 203) 1	25/11

Stainless steel cup dispensers are available for these cabinets. Optional painted colors are red, white, and gray. Contact factory for availability and lead times. Minimum order or setup charge may apply.



FIVE YEAR WARRANTY ON STAINLESS STEEL CABINETS (One year warranty on gaskets) Model #1015778











#5E GASKE

Simpli-Flex [®] Gasket Reference Chart								
GASKET (Part #) Cup Lip Diameter	SF2000 For 3.5-44 oz. cups	CSF1003 For portion cups	CSF1004 For 3.5-22 oz. cups	CSF1005 For 16-44 oz. cups	CSF1006 For jumbo cup			
# 1 (1905841) 1-7/16"-2-3/8" 37mm-60mm								
#3 (1904359) 2-3/8"-3-1/2" 60mm-89mm			\checkmark					
#3E (1910115) 3-1/2"-3-11/16" 89mm-94mm			\checkmark					
# 5A (1908522) 3-1/2"-4-7/16" 89mm-113mm	\checkmark							
# 5B (1915130) 2-1/4"-3-1/2" 57mm-89mm				0				
#5E (1910110) 4-1/4"-4-5/8" 108mm-117mm								
#5 (1907797)								

ID.C. . .

 \checkmark = Included with dispenser O=Optional

3-11/16"-5-1/2" 94mm-140mm



Simpli-Flex[®] Cup Dispensers for in-counter and cabinet mounting

cups

Self-adjusting spring-loaded in-counter/cabinet-mount Cup Dispensers. Dispenser tube is made of stainless steel. Deluxe CSF1004 and Deluxe CSF1005 dispensers shipped with two Simpli-Flex® self-adjusting gaskets to dispense cups from 3.5 – 44 fl oz (10 – 130 cL).

	Model #	Description	I	Dimensions L x Dia inches (mm)	Case Qty.	Ship Wt. lbs./kgs.
(NSF.)	1007699	CSF1003 for extra sr	nall/portion cups	24 x 3 (610 x 76)	12	36/16
\bigcirc	1015202	for medium cups		24 x 4 (610 x 102)	6	22/10
	Standard Sp					
		1904359 1910115 1905840	#3 Gasket #3E Gasket Black Clamp Ring		1 1 1	.5/.2 .5/.2 .5/.2
	1015201	Deluxe CSF for large cu		24 x 5 (610 x 127)	6	26/12
	Standard Sp	oares				
		1908522 1910110 1905844	#5A Gasket #5E Gasket Black Clamp Ring		1 1 1	.5/.2 .5/.2 .5/.2
	1008703	CSF1006 for jumbo	cups	24 x 6 (610 x 152)	6	32/15


See page 6 for mounting specifications.

CSF1003 CSF1004 CSF1005 **CSF1006** 4-21/32" (118 mm) 6-23/32" (171 mm) 7-25/32" (198 mm) 5-17/32" (141 mm) Α В 22-1/2" (572 mm) 22-1/2" (572 mm) 22-1/2" (572 mm) 22-1/2" (572 mm) С 3-3/32" (79 mm) 4" (102 mm) 5" (127 mm) 6-5/32" (156 mm) D 3-1/2" (89 mm) 4-3/8" (111 mm) 5-1/2" (140 mm) 6-9/16" (167 mm)

D

DIAMETER







Simpli-Flex[®] Cup Dispensers for under-counter or surface mounting

Self-adjusting spring-loaded Cup Dispensers for under-counter or surface mounting. Dispenser tube is made of stainless steel. Deluxe ESF1004 and Deluxe ESF1005 dispensers shipped with two Simpli-Flex[®] self-adjusting gaskets to dispense cups from 3.5 - 44 fl oz (10 - 130 cL).

	Model #	Description	Dimensions L x Dia inches (mm)	Case Qty.	Ship Wt. lbs./kgs.
(NSF.)	1007614	Deluxe ESF1004 for medium cups	24 x 4 (610 x 102)	12	41/19
	1008494	Deluxe ESF1005 for large cups	24 x 5 (610 x 127)	12	48/22
	1008707	ESF1006 for jumbo cups	24 x 6 (610 x 152)	6	32/15


Simpli-Flex[®] Cup Dispensers for wall and stand mounting



Self-adjusting pull-type Cup Dispensers for wall and stand mounting. Dispenser tube is made of stainless steel. Deluxe SF1004 and Deluxe SF1005 dispensers shipped with two Simpli-Flex[®] self-adjusting gaskets to dispense cups from 3.5 - 44 fl oz ($10^{\circ} - 130$ cL).

	Model #	Description	Dimensions L x Dia inches (mm)	Case Qty.	Ship Wt. lbs./kgs.	
(NSF.)	1007516	SF1003 for extra small/portion cups	16 x 3-1/8 (406 x 79)	12	23/10	
	1007664	Deluxe SF1004 for medium cups	24 x 4 (610 x 102)	12	37/17	
	1008188	Deluxe SF1005 for large cups	24 x 5 (610 x 127)	12	44/20	
	1008702	SF1006 for jumbo cups	24 x 6 (610 x 152)	6	30/14	

See pages 7 - 8 for mounting stands and accessories.



Model #1905841
1002

Model #1905842

FIVE YEAR WARRANTY ON STAINLESS STEEL DISPENSERS (One year warranty on gaskets)

SIMPLI-FLEX® CONE DISPENSER SELECTION CHART

CONE LIP	DIAMETER	DISPENSER MODEL		
MIN.	MAX.	1015P	1002	
1-3/8" (35 mm)	2-1/4" (57 mm)	CAKE		
1-1/2" (38 mm)	2" (51 mm)	SUGAR		
1-1/2" (38 mm)	2" (51 mm)	WAFFLE		
2-3/16" (56 mm)	3-1/16" (78 mm)		CAKE	
3-1/4" (83 mm)	3-3/8" (86 mm)		DOUBLE	
2-1/2" (64 mm)	3-5/16" (84 mm)		WAFFLE	

Simpli-Flex[®] Ice Cream Cone Dispensers

Prevent breakage, protect from contamination, and keep ice cream cones fresher with the Simpli-Flex® Cone Dispensers for cake, waffle, and sugar cones with a 1-3/8" – 3-3/8" (35 – 86 mm) cone lip diameter. Simpli-Flex Cone Dispensers are completely self-adjusting, ensuring one-at-a-time dispensing. Available in heavy-duty, polished stainless steel or tough gray-tinted plastic. Dispenser mount options include wall, stand, in-counter, or under-counter.

	Model #	Description	Dimensions L x Dia inches (mm)	Case Qty.	Ship Wt. lbs./kgs.
NSE	1003854	ESF1002 spring loaded for medium to large cones (uses gasket #1905842)	24 x 4 (610 x 102)	12	41/19
	1003846	SF1002 stainless steel tube for medium to large cones (uses gasket #1905842)	24 x 4 (610 x 102)	12	37/17
Cone dispensers	1003848	SF1002P plastic tube for medium to large cones (uses gasket #1905842)	31 x 4 (787 x 102)	12	40/18
and Z-stand sold separately.	1003850	SF1015P plastic tube for small cones (uses gasket #1905841)	19 x 3-1/8 (483 x 79)	12	30/14
WARRAI	1007710	SF1015P-30" plastic tube 30" long tube for small cones (uses gasket #1905841)	31 x 3-1/8 (787 x 79)	12	32/15



Countertop rotating stands for cup, tubular lid, and ice cream cone dispensers. Dispensers sold separately.

	Model #	Description	Dimensions D x H x W inches (mm)	Case Qty.	Ship Wt. Ibs./kgs.
	1003860	1007-024; 4-sided stand	13 x 42 x 13 (330 x 1067 x 330)	1	10/5
	1003863	1007-624; 6-sided stand	13 x 42 x 13 (330 x 1067 x 330)	1	10/5
Cup and cone dispensers and rotary stands sold separately.	1009646	1007-400; condiment caddy w/four 1-quart inserts	13 x 2 x 13 (330 x 51 x 330)	1	4/2



2

Z-Stands

Countertop Z-Stands for cup, lid, and ice cream cone dispensers. Made of stainless steel, painted gray. Dispensers sold separately.

	Model #	Description	Dimensions D x H x W inches (mm)	Case Qty.	Ship Wt. Ibs./kgs.
(NSF.)	1008213	1008-20Z for any 2-cup or lid dispensers	24 x 29 x 11 (610 x 737 x 279)	1	6/3
Ú	1003865	1008-30Z for any 3-cup or lid dispensers	24 x 29 x 11 (610 x 737 x 279)	1	6/3
	1009316	1008-40Z for any 4-cup or lid dispensers	24 x 29 x 11 (610 x 737 x 279)	1	7/3
	1003870	1008-50Z for any 5-cup or lid dispensers	24 x 29 x 12 (610 x 737 x 305)	1	7/3
	1003871	1009 High Volume Stand for any 8-cup or lid dispensers	23 x 33 x 11 (584 x 838 x 279)	1	16/7



IMPACT INDUSTRIES MODULAR DISPENSING SYSTEMS

(440)-327-2360 PHONE (440)-327-2465 FAX

MANUAL ADJUSTING DISPENSING SYSTEMS



Simpli-Size[™] Dispenser

Manually adjustable. With one turn, all three Simpli-Size™ fingers adjust at once for simple, simultaneous, snap-into-place adjustment. Spring-loaded dispenser for in-counter or in-cabinet use. Constructed of NSF- and FDA-grade materials. U.S. Patent No. 8,763,854 and 9,198,526. See page 2 for mounting specifications.

Model #	Description	Dimensions L x Dia inches (mm)	Case Qty.	Ship Wt. lbs./kgs.
1023593	Small/Medium For cups with a 3" – 3-3/4" lip diameter	23 x 5 (584 x 127)	6	19/9
1023095	Medium/Large For cups with a 3-3/4" – 4-3/8" lip diam	23 x 5 (584 x 127) eter	6	19/9

ELC Cup Dispensers

(NSF.)

(NSF.)

NARRA

FIVE YEAR WARRANT ON STAINLESS STEEL DISPENSERS

Model #1003713

Spring-loaded ELC Cup Dispensers with stainless steel mounting collar for counter or cabinet mounting. Tube and collar are made of FDA-grade stainless steel.

	Model #	Description	Dimensions L x Dia inches (mm)	Case Qty.	Ship Wt. lbs./kgs.
	1003761	ELC1015R (sm cups)	23-1/2 x 3 (597 x 76)	12	32/15
	1003767	ELC1001R (med cups)	23-1/2 x 3-5/8 (597 x 92)	12	39/18
	1003782	ELC1002R (med cups)	23-1/2 x 4 (597 x 102)	12	42/19
	1003799	ELC1017R (lrg cups)	23-1/2 x 4-3/8 (597 x 111)	6	23/10
	1003807	ELC1018R (Irg cups)	23-1/2 x 5 (597 x 127)	6	28/13
)	1003818	ELC1020R (xlrg cups)	23-1/2 x 5-13/32 (597 x 137)	6	30/14

Pull-Type Cup Dispensers

Adjustable stainless steel Pull-Type Cup Dispensers for wall or stand mounting.

	Model #	Description	Dimensions L x Dia inches (mm)	Case Qty.	Ship Wt. lbs./kgs.
_	1008783	1013 (small cups)	15-1/2 x 3 (394 x 76)	12	27/12
(NSF.)	1003700	1001 (medium cups)	23-1/8 x 3-5/8 (587 x 92)	12	27/12
	1003713	1002 (medium cups)	23-1/8 x 4 (587 x 102)	12	32/15
	1003721	1017 (large cups)	23-1/8 x 4-3/8 (587 x 111)	12	37/17
	1003725	1018 (large cups)	23-1/8 x 5 (587 x 127)	12	40/18
	1003730	1020 (extra large cups)	23-1/8 x 5-13/32 (587 x 137)	6	24/11
	1003692	1010 Stainless Water Cup Dispenser	15-1/2 x 2-11/16 (394 x 68)	12	30/14
	1003696	1015 Stainless Water Cup Dispenser	15-1/2 x 3 (394 x 76)	12	30/14
	WCP1003AL				

WCP1003W

Dispenser	Cup Lip Diam	e
NA - del H	In the set (ment)	

Inches (mm) Model 2-5/16 - 2-15/16 (59 - 75) 1013 1010 2-5/16 - 2-11/16 (59 - 68) 1015 2-1/2 - 2-15/16 (64 - 75) 1001 2-3/4 - 3-3/8 (70 - 86) 1002 3-1/4 - 3-5/8 (83 - 92) 1017 3-1/2 - 4-1/16 (89 - 103) 1018 4 - 4-3/4 (102 - 121) 1020 4-1/2 - 5-1/16 (114 - 129)

See pages 7 and 8 for optional mounting stands.

SELECTION CHART FOR

ADJUSTABLE CUP DISPENSERS Specifications subject to change without notice.

All dimensions are for reference only.

Countertop Adjustable Lid Dispensers

Stainless steel Countertop Lid Dispensers with adjustable dividers for several size lids. Available in various widths and heights.

Model #	Description	Dimensions D x H x W inches (mm)	Case Qty.	Ship Wt. lbs./kgs.	
1004054	L200-15 3 adjustable dividers	4-1/2 x 7 x 15-1/2 (114 x 178 x 394)	8	35/16	
1004063	L212-15 Like the L200-15, but 12-1/2" (318 mm) tall	4-1/2 x 12-1/2 x 15-1/2 (114 x 318 x 394)	1	7/3	
1004056	L200-19 4 adjustable dividers	4-1/2 x 7 x 19 (114 x 178 x 483)	6	37/17	
1004064	L212-19 Like the L200-19, but 12-1/2" (318 mm) tall	4-1/2 x 12-1/2 x 19 (114 x 318 x 483)	1	9/4	Model #1004061 Model #1004065
1004061	L200-22 5 adjustable dividers	4-1/2 x 7 x 22 (114 x 178 x 559)	6	38/17	
1004065	L212-22 Like the L200-22, but 12-1/2" (318 mm) tall	4-1/2 x 12-1/2 x 22 (114 x 318 x 559)	1	10/5	
1004068	L200MB Mounting Bracket Kit t	o mount dispenser on fountain head or wall	1	2/1	

Tubular Adjustable Lid Dispensers

Stainless steel Tubular Lid Dispensers with three adjustable dividers for several size lids. Lid dispensers can be wall or stand mounted.

Model #	Description	Dimensions L x Dia inches (mm)	Case Qty.	Ship Wt. lbs./kgs.	
1011795	LO24 Maximum lid diameter is 4" (102 mm)	23-1/8 x 4-1/4 (587 x 108)	6	12/5	
1011796	LO46 Maximum lid diameter is 5-1/4" (133 mm)	23-1/8 x 5-13/32 (587 x 137)	6	21/10	

CONDIMENT DISPENSERS & ACCESSORIES



Straw Dispensers

Wrapped Straw Dispensers help reduce waste and organize space. Stainless steel dispensers.

Model #	Description	Dimensions inches (mm)	Case Qty.	Ship Wt.
1003989	ELC5006 for counter mount, large	5-1/2 (140) mounting hole	1	2/1
1003990	ELC9006 for counter mount, small	4-3/8 (111) mounting hole	1	1/.5

5500 Dairy Creamer Dispensers

An insulated dispenser for chilled dairy creamer packets. Refreezable cold packs keep the creamer under 40°F (4°C) for up to eight hours. Available in brushed stainless steel or beige polyurethane finish. Holds approximately 300 creamer packets. Optional top coffee service organizer is available with two compartments for organizing sugar, sweetener, powdered creamer, and stir sticks.

	Model #	Description	Dimensions D x H x W inches (mm)	Case Qty.	Ship Wt. lbs./kgs.
)	1004005	5500-SS Dairy Creamer Stainless steel w/ 2 cold packs	15 x 11-5/8 x 6-5/8 (381 x 295 x 168)	1	7/3
	1904516	17-2500 Stir Stick Insert, white plastic	3 x 3-1/2 x 6-1/2 c (76 x 89 x 165)	6	1/.5
	1904890	Refreezable Cold Pack		12	29/13



(NSF.)

Model #1004005

NAPKIN DISPENSERS



In-Counter/Counter Mount Napkin Dispensers

Stainless steel spring-loaded Napkin Dispensers with latched faceplates for easy and secure closing. Mount horizontally, vertically or diagonally in a counter or cabinet. Dispenses one napkin at a time and accommodates 250 – 500 napkins.

Model #	Description	Dimensions D x H x W inches (mm)	Case Qty.	Ship Wt. lbs./kgs.
1003971	4000-C10 Holds 250 napkins	6-1/2 x 10-1/2 x 8-1/4 (165 x 267 x 210)	4	19/9
1010593	4000-C10N Holds 250 napkins	6-1/2 x 10-1/2 x 8-1/4 (165 x 267 x 210)	4	19/9
1012066	4000-C24 Holds 500 napkins	6-1/2 x 25 x 8-1/4 (165 x 635 x 210)	1	7/3

INDEXPageSimpli-Flex® Gasket & Dispensing System1Simpli-Flex® 2000 Products2Combination Cabinet Dispensers3Simpli-Flex® Cabinets & Cup Dispensers4 - 6Ice Cream Cone Dispensers7Mounting Stands7 - 8Adjustable Cup Dispensers9Lid, Straw, Creamer & Condiment Dispensers10 - 11Napkin Dispensers12



LIMITED WARRANTY

We guarantee to the original purchaser of each Modular product that any part thereof which proves to be defective in material or workmanship within one year – unless otherwise specified – of the date of shipment will be repaired or a replacement part furnished F.O.B. our factory. Warranty will not apply if our examination shows product to be defective as the result of negligence, abuse, misapplication or alteration by other than ourselves.

Modular will not be responsible for unauthorized field service. Contact factory for instructions.

TERMS: Net 30 days, F.O.B. plant, Cleveland, Ohio U.S.A. Minimum order requirement is \$100.00 net. RETURNS: Return of merchandise requires an RMA number. Authorized returns are subject to handling and re-stocking charges of 15%. Items returned to factory must have transportation charges prepaid. Custom items are not returnable. FOR RESALE ONLY: Prices and specifications subject to change without notice. We reserve the right to correct printing errors.

IMPACT INDUSTRIES MODULAR DISPENSING SYSTEMS

5120 MILLS INDUSTRIAL PARKWAY NORTH RIDGEVILLE, OHIO 44039

> (440)-327-2360 PHONE (440)-327-2465 FAX

> > Rev. April 1, 2024